設定 MG3570 噴墨印表機使用無線功能

安裝前準備:

1.在台灣佳能官網站下載驅動程式(mp68-win-mg3500-1_01-ejs)是英文版的

- 2.設定好電腦是使用無線網路分享器
- 3.使用 USB 線連結印表機進行設定
- PIXMA MG3570

查詢結果,以下是第1-7項.需

<u>My Printer Ver.3.1.0 (W</u> 要點. (選用) 此應用程式	(<u>indows 8.1/8.1 x64/8/8 x64/7</u> (可以方便您對產品進行基本的	<u>//7 x64//ista//ista64/XP)</u> 勿維護及故障排除。		選擇作業系統
更新歷史紀錄. [3.1.0版] - 已新增Windows 8.1 作為3	艺援		<u>》全部</u>
support-tw.canon-asia	a.com/contents/TW/TC/0200	205802.html - 38k - 20	13-10-10	» Linux » Mac OS X v10.5
				» Mac OS X v10.6
MG3500 series Full Dr	river & Software Package (W	indows 8.1/8.1 x64/8/8 x	64/7/7 x64/Vista/Vista64/XP)	» Mac OS X v10.7
要點.使用此在線安裝動	C體,能夠幫助您在電腦上對5 安裝を類軟體。 東新廣中紀	印表機進行初始設定(透過 8		» Mac OS X V10.8 » OS X v10.9
USD注意或論句语注意)型 sunnort-tw canon-asia	2.55钱合规联展。 是利雇文制。 com/contents/TW/TC/0100	sa 537101 html - 30k - 20	13-10-16	» Windows 7
		of formation contract		» Windows 7 (x64)
				» Windows 8 (x64)
Easy-WebPrint EX Ver. 更史 (態田) (告給 Fasy-)	. <u>1.4.0 (WINDOWS 8.1/8.1 X64/</u> WebPrint EX 能热了 Windows	8/8 X64//// X64/VISta/VIS Internet Explorer	ta64/XP)	» Windows 8.1
7.0 或以上。 能夠輕鬆	打印網頁。該插件包括列印預	覽		» Windows 8.1 (x64)
support-tw.canon-asia	.com/contents/TW/TC/0200	096702.html - <mark>41k - 20</mark>	13-12-04	» Windows Vista » Windows Vista (v6/
				» Windows Vista (xou)
Quick Menu Ver.2.2.2 (Windows 8.1/8.1 x64/8/8 x64	1/7/7 x64/Vista/Vista64/XI	<u>P)</u>	
要點. (選用) Quick Men	山工具程式軟體允許您輕鬆的	動本機隨附的應用		
t主政反説明音,影厌迷: eupport.tw.canon.aeia	宜へ仕線度面頁計。吨%~,女 com/contents/TN/TC/0200	"転 25770.2 html - 3.4k - 20	13 11 22	
☆ #♥ 心 표례 ♣५ ₽리 ㅡ		201702.html - 04K - 20	10-11-22	
下戰。此物國加全工	24			
MG3500 series MP Dri	ivers Ver.1.01 (Windows 8.1)	/8.1 x64/8/8 x64/7/7 x64/\ /市田対理学内参约	/ista/Vista64/XP)	
女前 (惊平) 応護期(生み) 将印表機設定為透過無)	0府高加基空航建岗主印切呢, 線進行列印和掃描。要獲得更	150月1日201年1月10日月1日第9		
support-tw.canon-asia	com/contents/TW/TC/0100	534801 html - 32k - 20	13-10-16	

安裝步驟:

1.執行安裝使用 mp68-win-mg3500-1_01-ejs 安裝檔

開啟檔案 - 安全性警告	X			
是否要執行這個檔案	₹?			
 名稱: 發行者: 類型: 從: 	Desktop\3530\mp68-win-mg3500-1_01-ejs.exe Canon Inc. 應用程式 C:\Users\brill\Desktop\3530\mp68-win-mg350 執行(R) 取消			
☑開啟這個檔案前一定要先詢問(₩)				
建 然來自網 能會傷害您 <u>麼樣的風險</u>	際網路的檔案可能是有用的,但是這個檔案類型有可 的電腦。請只執行來自您所信任發行者的軟體。 <u>有什</u> ?			

3.點選 NEXT



4.選取 Asia 再點 NEXT

- 5004a	Select your place of residence, and then click N	Vext.
all the second s	Place of Residence:	
and the second sec	USA, Canada, Latin America Europe, Middle East, Africa Asia Pacific Region	
A CONTRACTOR		

5.同意 License Agreement 點選 Yes

END ODER LIGENO	EAGREEMENT		^
ATTENTION: PLEA SOFTWARE.	SE READ THIS DOCUMENT BE	EFORE INSTALLING THE LICEN	SED
Shimomaruko 3-cho programs, its associ (collectively, the "So and updates thereof ("Contents Data"), wi and Contents Data h Software").	ne, Ohta-ku, Tokyo 146-8501, Ja ated electronic or online manual ftware") and/or text, image, grap including those provided via the ich are provided to you with this ereinafter shall be referred to inc	apan ("Canon"), with respect to so Is, and updates thereof if any hic and other creations in digital fo e internet with use of the Software, End User License Agreement (S dividually or collectively as the "Li	ftware ormat, if any oftware censed
	amont alial. Yes Hussialial. No	the installation of MD Drivers will	ha

6.選擇用無線網路連結印表機,再點選 NEXT

Connection method	
	Select the printer connection method.
Carlos and Carlos	Use the printer with wireless LAN connection Select this option to use the printer with wireless LAN connection.
	○ Use the printer via USB Select this option to use the printer via USB.
	Next > Cancel

7.第一次設定印表機的無線功能需使用 USB 連結 MG3570,勾選"Set up the network connection via USB" ,再點選 NEXT

Check Printer Settings	X
A DOGO	The printer could not be detected on the network. If the printer's network setup has not been completed, complete the network setup, and then click Redetect. To learn how to set up the network, click Instructions.
Constanting of the second	Wireless LAN Setup Information
	To set up the network connection using a USB cable, check Set up the network connection via USB, and click Next.
	Set up the network connection via USB
Instructions	Redetect Next > Cancel

8.確認印表機的電源是否開啟



9.設定連線家中的無線分享器,再點選 Connect

	Detec	ted Access Points:		
Constanting of the second	Str	En., Access Point WPA2ROSEIS WPA TP-LINK_FF20 WPA2TP-LINK_FF20 WPA 29-23-3F WPA229-23-3F	Name (SSID) CA6 選擇家中無線分享器 CA6	的名稱(SSID)
	144	WPA MOTOROLA- WPA Dora WPA 12345678	E26F	,
	s access poir	nt, enter the network ke	y, and then click Connect	Refresh
To connect to thi	在此輸	入密碼 Network	Key.	
To connect to the For the network k If you need to co	在此輸 ey, click the H	大密碼 Network	anually to connect to the access point, cl	ICP Key Humber

10.無線功能設定完成後就可以將連結印表機的 USB 線拔除,再點選 NEXT



11.完成設定,點選 Complete

Setup Completion	Setup has been To check the se	n completed. etup results, click View Setup Re	sults.
Constantion of the second	所連線的 Model: SSID:	J無線分享器名稱(SS Canon MG3500 series d-link	ID)
			View Setup Results
Help			Complete

12.MG3570 就可以使用無線功能進行列印